HAIR ELEMENTS



PATIENT: Number 442 SEX: Female AGE: 47 LOCATION: Bethany Beach

	LOCATION: Bethany Beach							
POTENTIALLY TOXIC ELEMENTS								
TOXIC	RESULT	REFERENCE			PERCENTI	LE		
ELEMENTS	μg/g	RANGE		68	th	95 th		
Aluminum	1.2	< 7.0	-					
Antimony	0.017	< 0.050						
Arsenic	0.031	< 0.060						
Barium	0.27	< 2.0						
Beryllium	< 0.01	< 0.020						
Bismuth	0.088	< 2.0	•					
Cadmium	0.037	< 0.050		—				
Lead	0.52	< 0.60						
Mercury	0.74	< 0.80						
Platinum	< 0.003	< 0.005						
Thallium	< 0.001	< 0.002						
Thorium	< 0.001	< 0.002						
Uranium	0.001	< 0.060	•					
Nickel	0.04	< 0.30	-					
Silver	0.03	< 0.15						
Tin	0.70	< 0.30						
Titanium	0.48	< 0.70						
Total Toxic Represent					••••••			
	ESSENTIAL AND OTHER ELEMENTS							
	DESULT	REFERENCE			PERCENTI			
	RESULT		2.5 th	16 th	50 th		4 th 97.5 th	
ELEMENTS	μg/g	RANGE 300- 1200	2.5	10	50	84	4 97.5	
Calcium	484							
Magnesium	31	35- 120 20- 250	••••••					
Sodium	24	8- 75						
Potassium	< 3	11- 37						
Copper	14	140- 220	••••••					
Zinc	200							
Manganese	0.11	0.08- 0.60						
Chromium	0.40	0.018- 0.065						
Vanadium	0.012	0.018- 0.085						
Molybdenum	0.017	0.25- 1.5	••••••					
Boron	5.3	0.25- 1.5						
Iodine	1.2	0.25- 1.8	••••••					
Lithium	0.008	150- 220						
Phosphorus	194	0.55- 1.1	••••••	······				
Selenium	0.89	0.55- 1.1						
Strontium	1.0	44000- 50000						
Sulfur	47900	0.005- 0.040				_		
Cobalt	0.004	7.0- 16					······	
Iron	12	0.030- 0.040				-		
Germanium	0.030	0.007-0.096						
Rubidium	0.005							
Zirconium	0.071	0.020- 0.42						
	SI	PECIMEN DATA				RATIOS		
COMMENTS:							EXPECTED	
Date Collected: 1/	17/2011	Sample Size:	0.197 g		ELEMENTS	RATIOS	RANGE	
Date Received: 1/	22/2011	Sample Type:	Head		Ca/Mg	15.6	4- 30	
Date Completed: 1/	26/2011	Hair Color:			Ca/P	2.49	1- 12	
Client Reference:		Treatment:			Na/K	8	0.5- 10	
Methodology: IC	P-MS	Shampoo:	Miracle		Zn/Cu	14.3	4- 20	
				V010.08	Zn/Cd	> 999	> 800	

©DOCTOR'S DATA, INC. • ADDRESS: 3755 Illinois Avenue, St. Charles, IL 60174-2420 • CLIA ID NO: 14D0646470 • MEDICARE PROVIDER NO: 148453

Health history for hair test 442

DOB 7-5-63 Test taken 1-17-11

1. Symptoms & History -

I have depression & anxiety, (off & on), it is not constance.

Fatigue is horrrbile.

I have high cholestrol

Low vitamin D

High Ferritin

My balance is off. I find myself tripping alot & unsettled on my feet sometimes.

Hands & feet can be very cold then I can have a heat flash & I am sweating.

I am very sensitive to any type of supplements

I was a very personal & friendly personal, very outgoing, laughting all the time, now I am shy and stand offest.

I find it very hard to concentrated & retain what I have read.

I have a very hard time remembering things.

I had 1/2 my thyroid removed in July 2010 because they thought it was cancer & I had a groiter. It was not cancer.

I have been working with Sabre Scientists & they have told me that I am an under methylater.

I have 6 beautiful children. I had them all very close, Dec. 1984, Jan. 1987, April 1988, Jan 1991, Dec. 1991, miscarriage June 1993, June 1995

When my last child was born the placenta and uterus had grown together & I just about died. I lost alot of blood. I had to have an emergency hysterectomy. This was in June 1995.

I am sure there is more, I just cannot think of them now. I have been writing this email for 3 days.

2. Dental -

I had my wisdom teeth removed when I has 22

I think I got my first amaglam filling when I was about 10 to 12 years old.

I have 5 or 6 big amalglam fillings in my mouth now. I have had all of these fillings for at least 20 years. 2 years ago I had a silver filling fall out & had it replaced with the white filling stuff.

I am trying to find a dentist now & start the removal of all these fillings.

4.Mother -

I am not sure what my mother had done when she was pregnant.

Either when I was young or when she was pregnant I think one of us had tetracycline, because I have always had the yellow line going across my teeth.

5. Vaccines -

I had all the children vaccines. I have never had a flu shot.

6. Supplements -

This is the supplements I was taking when I took the hair test. B12 Methylcobalamin - 1000 mcg 1 daily (Natural Factors) Zinc - 25 mgs. 1 at night (Natures Sunshine) Digest All - 2 daily Quercetin - 250 mgs. 2 daily (Natrol) Vitamin C 500 mg- 4 daily (Xymogen) Kavanace - 1 a day before bed Apple pectin 500 mg.- 4 daily (TwinLab) Magnesium Complex- 100 mgs. 4 daily (Natures Sunshine) Garlic - 300 mg 1 daily (Kyolic) Folapro - 800 mcg. 2 daily (Metagenics) Celtix Sea Salt - ¼ teaspoon in ½ c. water daily

Day Cream - 1/8 teaspoon (Sabre Scientists) Ingredients phosphatidylcholine 35 mgs Dhea 29 mgs. wild yam 17 mgs. pregnenolone 7 mgs. DIM 4 mgs. Vit. E 3 mgs. Menthylation Cream - 1/64 teaspoon (Sabre Scientists) Ingredients L-methionine 27 mgs. L-glutathione 26 mgs. vit. B12 22 mgs. GPC 18 mgs. benfothiamine 11 mgs. B6 p5p 4 mgs phosphatidylcholine 4 mgs.

I was taking P5P 50 mgs. I had some blood test done & it showed high. I stopped taking this on Dec. 2011.

I have tried Natural throid and Armour. I could not handle neither one.

I am no longer taking the creams because they did a new test & changed the cream & I cannot handle the new cream. I had terrible anxiety from it.

I still take all the other supplements.

I started taking 1 drop of losol iodine on 1/24/2011.

7. Other information I have attached some other test that I have had taken.

8. Location

I live now in Bethany Beach, De 19930. I have lived here since July 2010 I lived in Willow Street, PA 17584 June 2006 to July 2010 I lived in Brandon, Florida 33527 June 2001 to July 2006

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
T4,Free(Direct)	0.99		ng/dL	0.82-1.77	01
тѕн	0.303	LOW	uIU/mL	0.450-4.500	01
Thyroid Peroxidase (TPO) Ab	7		IU/mL	0-34	01
Antithyroglobulin Ab Siemens (DPC) ICMA	<20 Methodology		IU/mL	0-40	01
Triiodothyronine,Free,Serum	2.1		pg/mL	2.0-4.4	01

ABNO	RMAL	TEST	RESULT	UNITS	NORN	AL RANGE
	HPA 2 Panel					
13.56	Sero(LC/MS)	New rngs 1/10	13.56 ug/g	g cr	55.6 -	155.4

Neurotransmitters <NT's> are brain chemicals that carry messages <communicate> between nerve cells throughout our body & brain. NT's are inhibitory or excititory. Each NT can influence a specific area of the brain. They control body funcitons including movement, emotional response, and the physical ability to experience pleasure and pain.

Excititory NT's trigger a nerve impulse. Inhibitory NT's limit or stop impulses.

Serotonin is a major NT. In the central nervous system serotonin plays important role in modulating anger, aggression,body temperature,mood, sleep, human sexuality, appetite & metabolism. Serotonin brain levels are asociated with aggression <Caspi,Int Clin Psychopharmacol, 3/2001>.

Serotonin is also a peripheral signal mediator. It is found extensively in the human gut. In the blood, the major storage is in platelets (which collect it for post injury vasoconstrictive use).

Urinary NT testing measures the systemic <not brain> production. There are no tests that can measure actual brain synapse production. Sabre suggests utilizing this information when evaluating the adrenal medulla's contribution to the fight/flight mechanisms. Together with adrenal cortex information <cortisol & DHEA-S levels> one can greatly influence neuroendocrine health.

ABNO	RMAL	TEST	RESUL	T UN	ITS NORM	IAL RANGE
75	Dopa-U/A	(LC/MS) New Rngs	75	ug/g cr	104 -	212
			affects rev lead to dol A 2001 stuc	vard areas Idrums, no ly (EUR URC	s NT. Dopamir of brain. Lo motivation,a DL2001Dec:601 y NT for sex	w levels ddiction. 8) conc-
0.18	Ser/DA Ra Norepi (N	atio New rng 1/10 New rngs)	0.18 30.55	Units ug/g cr	0.49 - 15.7 -	1.67 44.9
			stimulatory	processes	ory NT respor s of the brai sts to epinep	n & body.
				cause low	lety and ner energy, decr	
17.4	Epi-U/A (New rngs)	17.4	ug/g cr	3.8 -	9.8
			in the body	's flight/ of brain	citatory NT i fight mechan function (me essure).	ism and
					ssociated wind low adrnl	
1.76	Norepi/Ep	oi Ratio-Urine	1.76	Units	4.39 -	9.12
			Ratio: <3 over train		l with Restle	ssness,
·			tiredness, motivation	lack of f . Adrenal	l with high S ocus, low en state transi insufficient	ergy & tioning
5.06	GABA (LC/	MS) New Rngs	5.06	umol/g cr	0.12 -	4.12

GABA is the Master Inhibitory NT. It plays

ABNORM	TAL TES	<u></u>	RESULT UNITS NORMAL RANGE
		1	a special role in brain mitochondria. GABA is a precursor of several substances found in nerve tissue and CFS. It increases the permeability of membranes to specific ions
			It produces an increase in K+ conductance. GABA excercises inhibitory command control of membrane potential. It can counteract the depolarizing action of excitatory processesto maintain the polarization of a cell at equilibrium, acting essentially as a chemical voltage clamp.
			Recent studies suggest that GABA may help downregulate production of proinflammatory agents, including interleuken-1, -6.Agents implicated in the pathogenisis of RA and chronic fatigue.
			Recently,3 gene mutations have been found involved in the HPA axis activity. There is a connection in activity between GABA receptors and HPA axis. Benzodiazepines, which enhance beta alanine (a GABA analog) give HPA axis dysregulation side effects.
			Low GABA levels are associated w/ adrenal distress, HPA feedback dysfunction and malabsorption.
			High levels indicate excitatory overload.
c	Glutamate(LC/MS)	New Rngs	18.73 umol/g cr 0.80 - 19.80
			Glutamate is the most abundant excitatory NT in man. Due to its role in synaptic plasticity it is associated with learning & memory. Glutamate transporters are found in neuronal & glial membranes. They remove

plasticity it is associated with learning & memory. Glutamate transporters are found in neuronal & glial membranes. They remove glutamate from extracellular space. Brain injury or disease reverses this function & excess glutamate accumulates outside the cells. This allows CA ions to enter and results in neuronal damage (exitoxicity).

TEST	RESU	JLT UI	NITS 1	NORMA	L RANGE	
	part of t -ted with	he ischemic stroke, au	c cascade utism, som	& is a ne form	associa ms of	
	Glutamic acid serves as a precursor to the synthesis of GABA. This reaction catalyzes glutamic acid decarboxalase (GAD), which is most aboundant in the cerebellum & pancreas. Stiff man syndrome is a neuro- logic disorder caused by GAD antibodies.					
ne-Urine	25	mg/dl	2	0	250	
e-Urine	25	mg/d1	2	0	250	
- -		Excitotox part of t -ted with mental re Glutamic synthesis glutamic which is n & pancrea logic dise High U/A attacks, a Low U/A lo loss, low	Excitotoxicity due i part of the ischemic -ted with stroke, au mental retardation, Glutamic acid serves synthesis of GABA. 7 glutamic acid decarf which is most abound & pancreas. Stiff ma logic disorder cause High U/A levels are attacks, anxiety, hi Low U/A levels are a loss, low energy, lo	Excitotoxicity due to glutama part of the ischemic cascade -ted with stroke, autism, som mental retardation, seisures Glutamic acid serves as a pre synthesis of GABA. This react glutamic acid decarboxalase (which is most aboundant in th & pancreas. Stiff man syndrom logic disorder caused by GAD High U/A levels are associate attacks, anxiety, high adrena Low U/A levels are associated loss, low energy, low adrenal	Excitotoxicity due to glutamate occ part of the ischemic cascade & is a -ted with stroke, autism, some for mental retardation, seisures & Alze Glutamic acid serves as a precursor synthesis of GABA. This reaction ca glutamic acid decarboxalase (GAD), which is most aboundant in the cere & pancreas. Stiff man syndrome is a logic disorder caused by GAD antibe High U/A levels are associated with attacks, anxiety, high adrenal funct Low U/A levels are associated with loss, low energy, low adrenal funct	

ABNO	RMAL	TEST	RES	ULT	UNITS	NORM	AL RANGI
	Cortisol(NEW RANGES 3/07)					
	8AM		5.55	ng/ml	·	3.5 -	6.3
	Noon		2.68	ng/ml		1.4 -	2.8
	4 P M		1.30	ng/ml		0.8 -	2.4
	8PM		1.06	ng/ml		0.6 -	1.6
	Midnight		1.14	ng/ml		0.3 -	1.2
L.72	4AM		1.72	ng/ml		0.3 -	1.7

8AM	3.2	ng/ml	2.8 - 12.7	
8PM	3.9	ng/m1	2.7 - 9.0	
Midnight	7.5	ng/ml	1.8 - 8.1	

HEIGHT	1	WEIGHT	5-6,	173
RETEST			•	

Tests Requested

•

Iron and TIBC; Folate (Folic Acid), Serum; Vitamin B6; Vitamin B12; Ferritin, Serum; Magnesium, RBC

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Iron Bind.Cap.(TIBC)	348		ug/dL	250-450	01
UIBC	253		ug/dL	150-375	01
Iron, Serum	95		ug/dL	35-155	01
Iron Saturation	27		%	15-55	01
Folate (Folic Acid), Serum Indeterminate: 2.2 - 3.0 Deficient: <2.2	>19.9		ng/mL	>3.0	01
Vitamin B6	63.7	HIGH	ug/L	2.0-32.8	02
Vitamin B12	1455	HIGH	pg/mL	211-946	01
Ferritin, Serum	175	HIGH	ng/mL	13-150	01
Magnesium, RBC **Verified by repeat anal Plasma NOT separated fre falsely decrease RBC Ma	om cells; may	HIGH	mg/dL	4.2-6.8	02