		POTENTIA	LLY TOXIC ELEMENTS			
TOXIC	RESULT	REFERENCE	PERSONAL PROPERTY.	PERCENTIL		
ELEMENTS	μg/g	RANGE	68 ^t	1	95 th	
Aluminum	69	< 7.0		the party of the party of the		and the second se
Antimony	0.010	< 0.050	•			
Arsenic	0.019	< 0.060				
Barium	4.1	< 2.0	1			
Beryllium	< 0.01	< 0.020				
Bismuth	11	< · 2.0				
Cadmium	0.013	< 0.050	-	***************************************		
Lead	0.02	< 0.60	•	*******************************		
Mercury	0.12	< 0.80	-	*******		
Platinum	< 0.003	< 0.005				
Thallium	< 0.001	< 0.002				
Thorium	< 0.001	< 0.002				********
Uranium	0.056	< 0.060				
Nickel	0.53	< 0.30			***************************************	********
Silver	0.22	< 0.15				
Tin	1.7	< 0.30				******
Titanium	0.93	< 0.70				
Total Toxic Represent	the second se					**********
Total Toxic Represent	ation	ESSENTIAL	AND OTHER ELEMENTS	a	THE STORE STREET	and the particular
	-		AND OTHER ELEMENT	PERCENTIL	E CONTRACTOR	
	RESULT	REFERENCE	o sth	PERCENTIL 50 th		
ELEMENTS	μg/g	RANGE	2.5 th 16 th	00	84	97.5
Calcium	3380	300- 1200				
Magnesium	290	35- 120				
Sodium	58	20- 250		•		
Potassium	5	8- 75				
Copper	15	11- 37				
Zinc	250	140- 220				
Manganese	16	0.08- 0.60				
Chromium	0.43	0.40- 0.65				
Vanadium	0.023	0.018- 0.065				
Molybdenum	0.031	0.020- 0.050				
Boron	0.08	0.25- 1.5				
Iodine	1.3	0.25- 1.8				
Lithium	0 000	0 007 0 000				
	0.008	0.007- 0.020	-			
Phosphorus	211	150- 220				
Phosphorus Selenium	and the second se	150- 220 0.55- 1.1				
	211 0.60 9.6	150- 220 0.55- 1.1 0.50- 7.6				-
Selenium	211 0.60	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000	-			
Selenium Strontium	211 0.60 9.6	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040				-
Selenium Strontium Sulfur	211 0.60 9.6 52000 0.37 6.5	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16				
Selenium Strontium Sulfur Cobalt	211 0.60 9.6 52000 0.37	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040				
Selenium Strontium Sulfur Cobalt Iron	211 0.60 9.6 52000 0.37 6.5	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040 0.007- 0.096				
Selenium Strontium Sulfur Cobalt Iron Germanium	211 0.60 9.6 52000 0.37 6.5 0.033	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040				
Selenium Strontium Sulfur Cobalt Iron Germanium Rubidium	211 0.60 9.6 52000 0.37 6.5 0.033 0.006 0.099	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040 0.007- 0.096 0.020- 0.42			RATIOS	
Selenium Strontium Sulfur Cobalt Iron Germanium Rubidium Zirconium	211 0.60 9.6 52000 0.37 6.5 0.033 0.006 0.099	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040 0.007- 0.096			RATIOS	EXPECTED
Selenium Strontium Sulfur Cobalt Iron Germanium Rubidium Zirconium COMMENTS:	211 0.60 9.6 52000 0.37 6.5 0.033 0.006 0.099	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040 0.007- 0.096 0.020- 0.42 PECIMEN DATA	0.158 g	ELEMENTS	RATIOS	EXPECTED
Selenium Strontium Sulfur Cobalt Iron Germanium Rubidium Zirconium COMMENTS: Date Collected: 3/	211 0.60 9.6 52000 0.37 6.5 0.033 0.006 0.099 S	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040 0.007- 0.096 0.020- 0.42 PECIMEN DATA Sample Size:	0.158 g Head		RATIOS	
Selenium Strontium Sulfur Cobalt Iron Germanium Rubidium Zirconium COMMENTS: Date Collected: 3/ Date Received: 4/	211 0.60 9.6 52000 0.37 6.5 0.033 0.006 0.099 \$ 27/2011 1/2011	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040 0.007- 0.096 0.020- 0.42 PECIMEN DATA Sample Size: Sample Type:	0.158 g Head	Ca/Mg	RATIOS 11.7	RANGE
Selenium Strontium Sulfur Cobalt Iron Germanium Rubidium Zirconium COMMENTS: Date Collected: 3/ Date Received: 4/ Date Completed: 4/	211 0.60 9.6 52000 0.37 6.5 0.033 0.006 0.099 \$ 27/2011 1/2011	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040 0.020- 0.42 PECIMEN DATA Sample Size: Sample Type: Hair Color:		Ca/Mg Ca/P	RATIOS 11.7 16	RANGE 4- 30 1- 12
Selenium Strontium Sulfur Cobalt Iron Germanium Rubidium Zirconium COMMENTS: Date Collected: 3/ Date Received: 4/ Date Completed: 4/ Client Reference:	211 0.60 9.6 52000 0.37 6.5 0.033 0.006 0.099 \$ 27/2011 1/2011	150- 220 0.55- 1.1 0.50- 7.6 44000- 50000 0.005- 0.040 7.0- 16 0.030- 0.040 0.007- 0.096 0.020- 0.42 PECIMEN DATA Sample Size: Sample Type:		Ca/Mg	RATIOS 11.7	RANGE 4 - 30

©DOCTOR'S DATA, INC. • ADDRESS: 3755 Illinois Avenue, St. Charles, IL 60174-2420 • CLIA ID NO: 14D0646470 • MEDICARE PROVIDER NO: 148453

Health history for hair test 493

Symptoms: Chronic Face and head pain , duration 11 years (this is my worst most painful symtom)

Chronic fatigue syndrone (had been bedridden for years but l`am better now for various reasons although never 100%)

History: Graves disease (no longer have it), Exposure to mold, multiple other chemical exposures. (ruptured silcone implant that disintigrated inside me explanted as best as possible many years ago)

I have been ill for 20 years , disabled for the last 8.. CFS, Candidia, neuropathy, MS-like disease, asthma, migranes...

Dental History: Probably had my first silver filling around 8 -10 years old. Mouth was full of them.

9 amalgum fillings I believe and 3 root canaled teeth w/ crowns. All done throughout my lifetime. I had all of them removed last month by a Huggins trained dentist out of state. I never had wisdom teeth.

I don't know what dentistry my mother had done during her pregnancy.

I don't get flu shots nor any travel vaccinations. Although I have had vaccinations as a child.

Supplements and meds during hair test: chorella, vit d, b12or b6(maybe both) dhea,multiple vit, coenzyme Q10, acetyl-carnitine, meletonin, magnesuim citrate topomax, tramadol, hyrocodone,clonezapam,zolpidem(sometimes)nortriptyline,tizanidine,stool softners

I live 30 minutes outside the city of Boston, Ma. Town water... Do not own home so I drank filtered water up until now. Now I try to purchase only sring water. Somewhat country setting..but very close to the city..